



3532T

COMPACT IMPACT CRUSHER

The SMI 3532T compact impact crusher is the perfect solution for projects with small footprints but big requirements. These compact, mobile crushers are suited particularly to construction and demolition recycling, asphalt recycling, and aggregates.

This versatile, mobile crusher is able to nimbly move around in small spaces, and continue moving while crushing. The 3532T's small footprint is uniquely suited to the demolition and asphalt recycling, aggregates and smaller scale construction projects. Less than 8'-2.5" (2.5m) wide, the crushers can be transported easily from site to site.

The new line boasts flexibility as well, not only can the 3532T continue crushing while moving, it can convert to a recirculating impactor in just a few hours.

Features & Benefits

- 35.4" (900mm) diameter x 32.3" (820mm) wide Impactor
- 252Hp (188kW) engine
- Crawler Tracks
- Open chassis design for ease of maintenance
- I-beam plate fabricated chassis construction
- Integrated hydraulic folding stockpiling conveyors
- Apron adjustment to suit either Secondary or Primary crushing
- Fast setup time



PERFORMANCE SPECIFICATION * Depending on application

Engine	Weight - w/ magnet & side conveyor	
252 Hp (188 kW)	52,029lb (23,600kg)	
Impact Rotor		Production Rate
35.4" (900mm) diameter x 32.3" (820mm) wide		up to 200 TPH

DIMENSION SPECIFICATION* * Depending on material density and set-up

TRANSPORT DIMENSIONS				
Height	Width		Length	
9° 9" (2.98m)	8' 2" (2.49m)		30' 7" (9.32m)	
CONVEYOR STOCKPILE HEIGHT				
Main		Side		
9' 10" (3m)		8' 6" (2.58m)		